

Alectoris graeca (Rock Partridge)

European Red List of Birds

Supplementary Material

The European Union (EU27) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2013-14. For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2015).

Contents

Reported national population sizes and trends	p. 2
Trend maps of reported national population data	p. 3
Sources of reported national population data	p. 5
Species factsheet bibliography	p. 8

Recommended citation

BirdLife International (2015) European Red List of Birds. Luxembourg: Office for Official Publications of the European Communities.

Further information

<http://www.birdlife.org/datazone/info/euroredlist>

<http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0>

<http://www.iucnredlist.org/initiatives/europe>

<http://ec.europa.eu/environment/nature/conservation/species/redlist/>

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Alectoris graeca (Rock Partridge)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁴				Long-term population trend ⁴				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	
Albania	1,000-3,000	3	2002-2012	medium	-	10-20	2002-2012	medium	-	10-30	1980-2012	poor	
Austria	700-1,200	2	2001-2012	medium	0	0	2001-2012	medium	?				A. g. saxatilis
Bosnia & HG	7,000-10,000	15	2010-2014	medium	F	10-20	2001-2012	poor	?				
Bulgaria	800-1,500	2	2005-2012	medium	-	5-20	2000-2012	medium	-	85	1980-2012	medium	A. g. graeca
Croatia	6,000-10,000	14	2013	poor	-	5-10	2001-2012	poor	-	10-20	1980-2012	poor	
France	2,500-3,200	5	2000-2009	medium	F	33-34	2001-2012	medium	F	50	1982-2012	medium	A. g. saxatilis
Greece	7,000-13,000	17	2008-2012	poor	-	30-50	1996-2008	poor	-	5-30	1980-2012	poor	A. g. graeca
Italy	4,568-9,942	15	2003	poor	-	≥30	2000-2010	poor	-		1980-2010	poor	A. g. saxatilis
Italy	3,932-8,558	10	2003	poor	-	≥30	2001-2011	poor	-		1980-2011	poor	A. g. graeca
Italy	1,500	3	2002	poor	-		1993-2006	medium	-		1980-2012	medium	A. g. whitakeri
Kosovo	50-100	<1	2009-2014	medium	?				?				
Liechtenstein	1-4	<1	2009-2014	poor	0	0	2003-2014	poor	+	100	1980-2014	poor	
FYRO Macedonia	2,000-5,000	6	2001-2012	poor	0	0	2000-2012	poor	?				
Montenegro	1,000-1,300	2	2002-2012	good	-		2002-2012	good	?				
Serbia	430-650	1	2008-2012	medium	-	10-29	2000-2012	medium	-	≥30	1980-2012	medium	
Slovenia	280-440	1	2002-2012	medium	F	0-20	2001-2012	medium	-	20-50	1980-2012	medium	A. g. saxatilis
Switzerland	3,000-4,000	6	2008-2012	medium	F	0	2001-2012	medium	-	18-49	1990-2012	medium	
EU27	21,300-39,300	52			Decreasing								
Europe	41,800-73,400	100			Decreasing								

¹ See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

² The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

³ In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

⁴ The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

⁵ Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

⁶ Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- | | |
|---|----------------------------------|
| ↑ Large increase ($\geq 50\%$) | ↓ Large decrease ($\geq 50\%$) |
| ↑ Moderate increase (20–49%) | ↓ Moderate decrease (20–49%) |
| ↑ Small increase ($< 20\%$) | ↓ Small decrease ($< 20\%$) |
| ↑ Increase of unknown magnitude | ↓ Decrease of unknown magnitude |
| ■ Stable or fluctuating | |
| □ Unknown | |
| ○ Present (no population or trend data) | |
| × Extinct since 1980 | |

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- ↑ Large: $\geq 10\%$ of the European population
- ↑ Medium: 1–9% of the European population
- ↑ Small: $< 1\%$ of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.





Figure 2. Breeding population sizes and long-term trends across Europe.



Alectoris graeca (Rock Partridge)

Sources

Albania

Breeding population size: Bino pers. obs.

Breeding short-term trend: Bino pers. obs.

Breeding long-term trend: Bino pers. obs.

Austria: *A. g. saxatilis*

Breeding population size: BirdLife Austria, estimate on the basis of available unpublished and published population data

Breeding short-term trend: BirdLife Austria, estimate on the basis of available unpublished and published trend data

Bosnia and Herzegovina

Breeding population size: Kotošan, D., Dročić, N., Trbojević, S., Šimić, E., Dervović, I., 2012: Program IBA, Međunarodno značajna područja za ptice, u Bosni i Hercegovini. Ornitološko društvo "Naše ptice", interno izdanje za projekat "Evaluacija IBA područja u FBiH", Sarajevo., Dročić, N., Dročić, S., 2011/2012: Kratki zapisi o gniježdenju jarebice kamenjarke (*Alectoris graeca* Meisner, 1804) i mogućem gniježdenju žutokljune galice (*Pyrrhocorax graculus* Linnaeus, 1766) na planini Vlašić. Bilten Mreže posmatrača ptica u Bosni i Hercegovini, 7-8(7-8): 98-99., Grubešić, M., Tomljanović, K., Kunovac, S., 2011: Rasprostranjenost i brojnost jarebice kamenjarke grivne (*Alectoris graeca*) u Hrvatskoj i Bosni i Hercegovini. Šumarski list, 11-12: 567-574.

Breeding short-term trend: Sučić, I., 2008: Brojno stanje jarebice kamenjarke (*Alectoris graeca* Meisner) od 2000. do 2007. godine na planini Tušnici. Šumarski list 132(7-8): 331-336., Urošević M., Matarugić D., Drobnjak D., Ristić Z., Urošević B., 2012: Lovni fond i njegovo korišćenje u Republici Srpskoj. Zbornik sažetaka, I Međunarodni simpozijum XVII Naučno-stručno savjetovanje agronoma Republike Srpske, Trebinje, pp: 61-75.

Bulgaria: *A. g. graeca*

Breeding population size: BSPB Bird Database; Golemansky V. (ed.) 2011. Red Data Book of Bulgaria. Vol. 2, Animals. <http://e-ecodb.bas.bg/rdb/en/vol2/>; Iankov, P. (ed.) 2007 Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the Protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 679 p.; Nankinov, D., A. Dutsov, B. Nikolov, B. Borisov, G. Stoyanov, G. Gradev, D. Georgiev, D. Popov, D. Domuschiev, D. Kirov, E. Tilova, I. Nikolov, I. Ivanov, K. Dichev, K. Popov, N. Karaivanov, N. Todorov, P. Shurulinkov, R. Stanchev, R. Aleksov, R. Tsonev, S. Dalakchieva, S. Ivanov, S. Marin, S. Staikov, S. Nikolov & H. Nikolov. 2004. Breeding totals of the ornithofauna in Bulgaria, 2004. Green Balkans, Plovdiv. 32 p.

Breeding short-term trend: BSPB Bird Database; Golemansky V. (ed.) 2011. Red Data Book of Bulgaria. Vol. 2, Animals. <http://e-ecodb.bas.bg/rdb/en/vol2/>; Iankov, P. (ed.) 2007 Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the Protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 679 p.; Nankinov, D., A. Dutsov, B. Nikolov, B. Borisov, G. Stoyanov, G. Gradev, D. Georgiev, D. Popov, D. Domuschiev, D. Kirov, E. Tilova, I. Nikolov, I. Ivanov, K. Dichev, K. Popov, N. Karaivanov, N. Todorov, P. Shurulinkov, R. Stanchev, R. Aleksov, R. Tsonev, S. Dalakchieva, S. Ivanov, S. Marin, S. Staikov, S. Nikolov & H. Nikolov. 2004. Breeding totals of the ornithofauna in Bulgaria, 2004. Green Balkans, Plovdiv. 32 pp.

Breeding long-term trend: Golemansky V. (ed.) 2011. Red Data Book of Bulgaria. Vol. 2, Animals. <http://e-ecodb.bas.bg/rdb/en/vol2/>; Iankov, P. (ed.) 2007 Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the Protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 679 p.; BSPB Bird Database; Simeonov, S., T. Michev, D. Nankinov. 1990. The Fauna of Bulgaria. Vol. 20. AVES. Part I. BAS Press, Sofia. 350 pp. (in Bulgarian with English Summary)

Croatia

Breeding population size: Zavod za ornitologiju (Sanja Barišić, Davor Ćiković, Jelena Krajić, Goran Sušić, Vesna Tutiš), Dragan Radović, Ivan Budinski, Robert Crnković, Antun Delić, Dubravko Dender, Vlatka Dumbović, Ivan Darko Grlica, Bariša Ilić, Luka Jurinović, Davor Krnjeta, Krešimir Leskovar, Duje Lisičić, Ivica Lolić, Gordan Lukač. Kristijan Mandić, Krešimir Mikulić, Tibor Mikuska, Gvido Piasevoli, Andrej Radalj, Zlatko Ružanović, Vlatka Ščetarić, Mirko Šetina, Adrian Tomik (2013): Procjene brojnosti za SPA područja. Državni zavod za zaštitu prirode, Zagreb

Breeding short-term trend: BiE III Work group, Croatia

Breeding long-term trend: BiE III Work group, Croatia

France: *A. g. saxatilis*

Breeding population size: Griffin, Cy (Compiler) 2011 Population assessment for the Rock Partridge *Alectoris graeca*. , p. 190-221 Buffet, N., Dumont-Dayot, E., Bernard-Laurent, A., Berducou, C., Magnani, Y., Menoni, E., Montadert, M. & Novoa, C. 2011 Suivi patrimonial des galliformes : bilan de la décennie 2000-2009, Sevrier, Observatoire des Galliformes de Montagne, 34 p.

Breeding short-term trend: BERNARD-LAURENT A. 2006 Perdrix bartavelle *Alectoris graeca*. , Paris, LPO PACA, CEEP, DIREN PACA, région PACA, Delachaux et Niestlé , p.121-122 BERNARD-LAURENT A. 2006 Perdrix bartavelle *Alectoris graeca*. , Paris, LPO PACA, CEEP, DIREN PACA, région PACA, Delachaux et Niestlé , p. 121-122 34 p. BERNARD-LAURENT, A. 2008 La Perdrix bartavelle (*Alectoris graeca*). , éd. Hachette pratique, Paris , p. 92-98

Breeding long-term trend: BERNARD-LAURENT A. 2006 Perdrix bartavelle *Alectoris graeca*. , Paris, LPO PACA, CEEP, DIREN PACA, région PACA, Delachaux et Niestlé , p.121-122 BERNARD-LAURENT A. 2006 Perdrix bartavelle *Alectoris graeca*. , Paris, LPO PACA, CEEP, DIREN PACA, région PACA, Delachaux et Niestlé , p. 121-122 34 p. BERNARD-LAURENT, A. 2008 La Perdrix bartavelle (*Alectoris graeca*). , éd. Hachette pratique, Paris , p. 92-98

Greece: *A. g. graeca*

Breeding population size: Handrinos, G., 2009. Rock Partridge. In: Legakis, A. & P. Maragou (eds.). The Greek Red Data Book. Hellenic Zoological Society.

Breeding short-term trend: Legakis & Maragkou (2009)

Breeding long-term trend: Handrinos, G., 2009. Rock Partridge. In: Legakis, A. & P. Maragou (eds.). The Greek Red Data Book. Hellenic Zoological Society.

Italy: *A. g. graeca*

Breeding short-term trend: Gustin M, Brambilla M & Celada C. 2009. Valutazione dello stato di conservazione dell'avifauna italiana. Specie in Allegato I della Direttiva Uccelli. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Lega Italiana Protezione Uccelli (LIPU) Peronace V, Cecere JG, Gustin M & Rondinini C. 2012. Lista Rossa 2011 degli Uccelli Nidificanti in Italia. Avocetta 36: 11-58

Alectoris graeca (Rock Partridge)

Italy: *A. g. graeca*

Breeding long-term trend: Brichetti P & Fracasso G. 2004. Ornitologia italiana. Vol.2 (Tetraonidae-Scolopacidae). Alberto Perdisa Editore, Bologna Gustin M, Brambilla M & Celada C. 2009. Valutazione dello stato di conservazione dell'avifauna italiana. Specie in Allegato I della Direttiva Uccelli. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Lega Italiana Protezione Uccelli (LIPU) Peronace V, Cecere JG, Gustin M & Rondinini C. 2012. Lista Rossa 2011 degli Uccelli Nidificanti in Italia. Avocetta 36: 11-58 BirdLife International 2004. Birds in Europe: population estimates, trends and conservation status Cambridge, UK: BirdLife International. BirdLife Conservation Series No. 12

Italy: *A. g. saxatilis*

Breeding short-term trend: Gustin M, Brambilla M & Celada C. 2009. Valutazione dello stato di conservazione dell'avifauna italiana. Specie in Allegato I della Direttiva Uccelli. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Lega Italiana Protezione Uccelli (LIPU) Peronace V, Cecere JG, Gustin M & Rondinini C. 2012. Lista Rossa 2011 degli Uccelli Nidificanti in Italia. Avocetta 36: 11-58

Breeding long-term trend: Brichetti P & Fracasso G. 2004. Ornitologia italiana. Vol.2 (Tetraonidae-Scolopacidae). Alberto Perdisa Editore, Bologna Gustin M, Brambilla M & Celada C. 2009. Valutazione dello stato di conservazione dell'avifauna italiana. Specie in Allegato I della Direttiva Uccelli. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Lega Italiana Protezione Uccelli (LIPU) Peronace V, Cecere JG, Gustin M & Rondinini C. 2012. Lista Rossa 2011 degli Uccelli Nidificanti in Italia. Avocetta 36: 11-58 BirdLife International 2004. Birds in Europe: population estimates, trends and conservation status Cambridge, UK: BirdLife International. BirdLife Conservation Series No. 12

Italy: *A. g. whitakeri*

Breeding population size: Palumbo G & Lo Valvo F. 2002. Management Statement for the Sicilian Rock Partridge (*Alectoris graeca whitakeri*). BirdLife International/ European Commission, T-PVS/Inf 18

Breeding short-term trend: Gustin M, Brambilla M & Celada C. 2010. Valutazione dello stato di Conservazione dell'avifauna italiana. Volume I, Non-Passeriformes. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Lega Italiana Protezione Uccelli (LIPU) Peronace V, Cecere JG, Gustin M & Rondinini C. 2012. Lista Rossa 2011 degli Uccelli Nidificanti in Italia. Avocetta 36: 11-58

Breeding long-term trend: Gustin M, Brambilla M & Celada C. 2010. Valutazione dello stato di Conservazione dell'avifauna italiana. Volume I, Non-Passeriformes. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Lega Italiana Protezione Uccelli (LIPU) Peronace V, Cecere JG, Gustin M & Rondinini C. 2012. Lista Rossa 2011 degli Uccelli Nidificanti in Italia. Avocetta 36: 11-58

Kosovo

Breeding population size: NGO "Finch" (2014)

Liechtenstein

Breeding population size: Willi, G. (2014) Unpublished collection data

Breeding short-term trend: Willi, G. (2006) Die Vögel des Fürstentums Liechtenstein. Amtlicher Lehrmittelverlag, Vaduz (Naturkundliche Forschung im Fürstentum Liechtenstein, Bd. 22.

Breeding long-term trend: Willi, G. & M.F. Broggi (1985) Die Vogelwelt des Fürstentums Liechtenstein unter Berücksichtigung der benachbarten Gebiete; Teil II: Galliformes (Hühnervögel) – Piciformes (Spechtvögel). Ber. Bot.-Zool. Ges. Liechtenstein-Sargans-Werdenberg, Band 14, S. 103-143.; Willi, G. (2006) Die Vögel des Fürstentums Liechtenstein. Amtlicher Lehrmittelverlag, Vaduz (Naturkundliche Forschung im Fürstentum Liechtenstein, Bd. 22.

The Former Yugoslav Republic of Macedonia

Breeding population size: Velevski, M., B. Hallmann, B. Grubač, T. Lisičanec, E. Stojnov, E. Lisičanec, V. Avukatov, L. Božič, and B. Stumberger. 2010. Important Bird Areas in Macedonia: Sites of Global and European Importance. *Acrocephalus* 31:181–282

Breeding short-term trend: Unpublished observation, using frequencies of recordings which has not decreased

Montenegro

Breeding population size: 1. Rubinić, B., Jovičević, M., Saveljić, D. (2012): Review of ornithofauna of Možura hill near Ulcinj in the light of potential bulding of windturbines. Material and environmental protection. No.1, Podgorica, pp.48-56. 2. Saveljić, D., Rubinić, B., Jovičević, M. (2011): The study of indicator bird species on Durmitor in 2010, the assessment of the condition of their populations. Nature Protection in 21st Century: International Conference. Proceedings of the Conference. Book II, Žabljak, pp. 341-349. 3. Katastar of hunting areas in Montenegro. Environmental protection Agency 2009

Breeding short-term trend: 1. Rubinić, B., Jovičević, M., Saveljić, D. (2012): Review of ornithofauna of Možura hill near Ulcinj in the light of potential bulding of windturbines. Material and environmental protection. No.1, Podgorica, pp.48-56. 2. Saveljić, D., Rubinić, B., Jovičević, M. (2011): The study of indicator bird species on Durmitor in 2010, the assessment of the condition of their populations. Nature Protection in 21st Century: International Conference. Proceedings of the Conference. Book II, Žabljak, pp. 341-349. 3. Katastar of hunting areas in Montenegro. Environmental protection Agency 2009

Serbia

Breeding population size: BPSSS (2014) Unpublished data

Breeding short-term trend: BPSSS (2014) Unpublished data

Breeding long-term trend: BPSSS (2014) Unpublished data

Slovenia: *A. g. saxatilis*

Breeding population size: Mihelič, T. (2013): Novi ornitološki atlas gnezdičk Slovenije 2002-2010. Internetna baza podatkov. Spletna stran: <http://www.ptice.si/atlas>. Društvo za opazovanje in proučevanje ptic Slovenije, DOPPS - BirdLife Slovenija. Ljubljana.

Breeding short-term trend: Denac, K., L. Božič, T. Mihelič, D. Denac, P. Kmecl, J. Figelj & D. Bordjan (2013): Monitoring populacij izbranih vrst ptic - popisi gnezdičk 2012 in 2013. Poročilo. Naročnik: Ministrstvo za kmetijstvo in okolje. DOPPS-BirdLife Slovenia, Ljubljana. http://www.natura2000.gov.si/uploads/tx_library/Koncno_porocilo_monitoring_2012-2013_1.pdf

Breeding long-term trend: <http://www.ptice.si/atlas> Denac, K., L. Božič, T. Mihelič, D. Denac, P. Kmecl, J. Figelj & D. Bordjan (2013): Monitoring populacij izbranih vrst ptic - popisi gnezdičk 2012 in 2013. Poročilo. Naročnik: Ministrstvo za kmetijstvo in okolje. DOPPS-BirdLife Slovenia, Ljubljana. http://www.natura2000.gov.si/uploads/tx_library/Koncno_porocilo_monitoring_2012-2013_1.pdf

Alectoris graeca (Rock Partridge)

Switzerland

Breeding population size: Schmid, H., R. Luder, B. Naef-Daenzer, R. Graf & N. Zbinden (1998): Schweizer Brutvogelatlas. Verbreitung der Brutvögel in der Schweiz und im Fürstentum Liechtenstein 1993-1996/Atlas des oiseaux nicheurs de Suisse. Distribution des oiseaux nicheurs en Suisse et au Liechtenstein en 1993-1996. Schweizerische Vogelwarte/Station ornithologique suisse, Sempach. Swiss Ornithological Institute: checked with population trend: no change.

Breeding short-term trend: Swiss Ornithological Institute: <http://www.vogelwarte.ch/information-service-monitoring-rare-breeding-and-visiting-birds.html> 95% Confidence interval see point 3.3.

Breeding long-term trend: Swiss Ornithological Institute: <http://www.vogelwarte.ch/information-service-monitoring-rare-breeding-and-visiting-birds.html> Min Max refer to 95% Confidence interval.

Bibliography

- Barilani, M., Bernard-Laurent, A., Mucci, N., Tabarroni, C., Kark, S., Garrido, J.A.P., Randi, E. 2007. Hybridisation with introduced chukars (*Alectoris chukar*) threatens the gene pool integrity of native Rock (*A. graeca*) and Red-legged (*A. rufa*) Partridge populations. *Biological Conservation* 137(1): 57-69.
- Bernard-Laurent A. and Leonard Y. 2000. Vulnerability of an alpine population of rock partridge (*Alectoris graeca saxatilis*) to climatic events: evaluation with deterministic and stochastic models. *Game and Wildlife Science* 17(2): 63-79.
- Bernard-Laurent, A. and de Franceschi, P.F. 1994. Status, trends, and limiting factors of Rock Partridge (*Alectoris graeca saxatilis*) populations. *Game and Wildlife* 11: 267-307.
- Budinski, I., Culina, A., Mikuliñ, K. and Jurinoviñ, L. 2010. Bird species that have significantly changed breeding range on Croatian coastal area: comparison of 30 years old data and recent knowledge. *Bird Census News* 23: 49-58.
- Cattadori, I.M., Ranci-Ortigosa, G., Gatto, M. and Hudson, P.J. 2003. Is the rock partridge *Alectoris graeca saxatilis* threatened in the Dolomitic Alps? *Animal Conservation* 6: 71-81.
- Griffin, C. 2011. Rock Partridge *Alectoris graeca* population assessment. Methodology for Bird Species Recovery Planning in the European Union. *Final Report to the European Commission. FACE and BirdLife International for the European Commission*, Cambridge, UK.
- Manios, N., Papazahariadou, M., Frydas, S., Papageorgiou, N., Tsachalidis, E. and Gergopoulou, J. 2002. Tetrathyridium as a mortality factor of rock partridge (*Alectoris graeca graeca*) in Central Greece. *European Journal of Wildlife Research* 48: 378-382.
- McGowan, P.J.K. and Kirwan, G.M. 2014. Rock Partridge (*Alectoris graeca*). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. and de Juana, E. (eds.) 2014. *Handbook of the Birds of the World Alive*. Lynx Edicions, Barcelona. (retrieved from <http://www.hbw.com/node/53379> on 19 January 2015).
- Randi, E. 2008. Detecting hybridization between wild species and their domesticated relatives. *Molecular Ecology* 17: 285-293.
- Rippa, D., Maselli, V., Soppelsa, O. and Fulgione, D. 2011. The impact of agro-pastoral abandonment on the Rock Partridge *Alectoris graeca* in the Apennines. *Ibis* 153(4): 721-734.
- Rosà, R., Bolzoni, L., Rosso, F., Pugliese, A., Hudson P.J. and Rizzoli, A. 2011. Effect of *Ascaridia compar* infection on rock partridge population dynamics: empirical and theoretical investigations. *Oikos* 120(10): 1557-1567.